

Barramundi
ALLER BONA REP FLOAT

Broodstock Feed

DECLARATION

	15 mm
Crude protein (%)	42
Crude fat (%)	12
NFE (%)	28,1
Ash (%)	6,8
Fibre (%)	3,1
P (%)	1
Gross energy (MJ)	20
Digestible energy (MJ)	15,7

COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, fish meal, fish oil, functional ingredients, grain products, processed animal proteins, vegetable oils, vegetable proteins, vitamins and minerals.

RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

		Water temperature (°C)				
Fish (g)	MM	26	28	30	32	34
>1500	15 mm	0,89	1,07	1,19	1,07	0,95

ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	15 mm		
Feed conversion	1,3	1,4	1,5
N in faeces (kg)	0,7	0,75	0,81
N in water (kg)	5,29	5,91	6,52
P in faeces (kg)	0,39	0,42	0,45
P in water (kg)	0,49	0,56	0,63

ENVIRONMENTAL IMPACT MEASURED IN CO_2-EQ

Figures are in CO_2-equivalents (kg/kg feed)

	15 mm
CO_2-eq. with land use change	1,05-1,40
CO_2-eq. without land use change	0,81-0,91

29/03/2024