

# Perch OCEAN NOVA EX, 2 MM



## Pre-grower Feed



### DECLARATION

|                        | 2 mm |
|------------------------|------|
| Crude protein (%)      | 53   |
| Crude fat (%)          | 11   |
| NFE (%)                | 19,0 |
| Ash (%)                | 9,6  |
| Fibre (%)              | 1,3  |
| P (%)                  | 1,3  |
| Gross energy (MJ)      | 20,3 |
| Digestible energy (MJ) | 17,5 |

### COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label  
fish meal, fish oil, grain products, vegetable proteins, vitamins and minerals.

### RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

| Fish (g) | MM | Water temperature (°C) |      |      |      |      |      |
|----------|----|------------------------|------|------|------|------|------|
|          |    | 20                     | 22   | 24   | 26   | 28   | 30   |
| 10-15    | 2  | 1,36                   | 1,7  | 2,03 | 2,26 | 2,03 | 1,81 |
| 15-20    | 2  | 1,09                   | 1,36 | 1,63 | 1,81 | 1,63 | 1,45 |

### ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

|                  | 2 mm |      |      |
|------------------|------|------|------|
| Feed conversion  | 0,8  | 0,9  | 1    |
| N in faeces (kg) | 0,39 | 0,44 | 0,49 |
| N in water (kg)  | 3,39 | 4,15 | 4,92 |
| P in faeces (kg) | 0,31 | 0,35 | 0,39 |
| P in water (kg)  | 0,29 | 0,38 | 0,48 |

### ENVIRONMENTAL IMPACT MEASURED IN CO<sub>2</sub>-EQ

Figures are in CO<sub>2</sub>-equivalents (kg/kg feed)

|                                              | 2 mm      |
|----------------------------------------------|-----------|
| CO <sub>2</sub> -eq. with land use change    | 1,13-1,43 |
| CO <sub>2</sub> -eq. without land use change | 1,01-1,23 |