

# Sturgeon ALLER PERFORMA, 1.3-1.5 MM



## Fry Feed



### DECLARATION

	1.3 mm	1.5 mm
Crude protein (%)	48	48
Crude fat (%)	21	21
NFE (%)	13,2	13,2
Ash (%)	8,7	8,7
Fibre (%)	1,1	1,1
P (%)	1,2	1,2
Gross energy (MJ)	22,1	22,1
Digestible energy (MJ)	20,0	20,0

### COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, fish meal, fish oil, grain products, krill meal, marine by-products, vegetable oils, vegetable proteins, vitamins and minerals.

### RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	MM	Water temperature (°C)								
		10	12	14	16	18	20	22	24	26
3-6	1.3 mm	0,83	1,39	2,23	3,34	4,17	5,01	5,57	5,01	4,45
6-10	1.5 mm	0,68	1,14	1,83	2,74	3,42	4,11	4,56	4,11	3,65

### ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	1.3 mm			1.5 mm		
Feed conversion	0,6	0,7	0,8	0,7	0,8	0,9
N in faeces (kg)	0,28	0,32	0,37	0,32	0,37	0,41
N in water (kg)	1,58	2,3	3,03	2,3	3,03	3,75
P in faeces (kg)	0,2	0,23	0,26	0,23	0,26	0,3
P in water (kg)	0,1	0,19	0,27	0,19	0,27	0,34

### ENVIRONMENTAL IMPACT MEASURED IN CO<sub>2</sub>-EQ

Figures are in CO<sub>2</sub>-equivalents (kg/kg feed)

	1.3 mm	1.5 mm
CO <sub>2</sub> -eq. with land use change	1,46-1,65	1,46-1,65
CO <sub>2</sub> -eq. without land use change	1,19-1,33	1,19-1,33